

A 20 - D660

Super Gripbelt® Belts




Table No. 1

Super Gripbelt® belts are static conducting.

Belt No.	Length		Wt. Lbs.	Belt No.	Length		Wt. Lbs.	Belt No.	Length		Wt. Lbs.	Belt No.	Length		Wt. Lbs.
	Outside	Pitch			Outside	Pitch			Outside	Pitch			Outside	Pitch	
A20	22.2"	21.3"	.2	A90	92.2"	91.3"	.6	B71	74.0"	72.8"	.8	C60	64.2"	62.9"	1.2
A21	23.2	22.3	.2	A91	93.2	92.3	.6	B72	75.0	73.8	.8	C68	72.2	70.9	1.3
A22	24.2	23.3	.2	A92	94.2	93.3	.6	B73	76.0	74.8	.8	C72	76.2	74.9	1.4
A23	25.2	24.3	.2	A93	95.2	94.3	.6	B74	77.0	75.8	.8	C75	79.2	77.9	1.4
A24	26.2	25.3	.2	A94	96.2	95.3	.6	B75	78.0	76.8	.8	C78	82.2	80.9	1.5
A25	27.2	26.3	.2	A95	97.2	96.3	.6	B76	79.0	77.8	.8	C81	85.2	83.9	1.6
A26	28.2	27.3	.2	A96	98.2	97.3	.7	B77	80.0	78.8	.8	C85	89.2	87.9	1.6
A27	29.2	28.3	.2	A97	99.2	98.3	.7	B78	81.0	79.8	.8	C90	94.2	92.9	1.7
A28	30.2	29.3	.2	A98	100.2	99.3	.7	B79	82.0	80.8	.8	C96	100.2	98.9	1.8
A29	31.2	30.3	.2	A100	102.2	101.3	.7	B80	83.0	81.8	.9	C97	101.2	99.9	1.8
A30	32.2	31.3	.2	A103	105.2	104.3	.7	B81	84.0	82.8	.9	C99	103.2	101.9	1.9
A31	33.2	32.3	.2	A105	107.2	106.3	.7	B82	85.0	83.8	.9	C100	104.2	102.9	1.9
A32	34.2	33.3	.2	A110	112.2	111.3	.8	B83	86.0	84.8	.9	C101	105.2	103.9	1.9
A33	35.2	34.3	.2	A112	114.2	113.3	.8	B84	87.0	85.8	.9	C105	109.2	107.9	2.0
A34	36.2	35.3	.2	A120	122.2	121.3	.8	B85	88.0	86.8	.9	C108	112.2	110.9	2.0
A35	37.2	36.3	.2	A125	127.2	126.3	.9	B86	89.0	87.8	1.0	C109	113.2	111.9	2.0
A36	38.2	37.3	.3	A128	130.2	129.3	.9	B87	90.0	88.8	1.0	C111	115.2	113.9	2.1
A37	39.2	38.3	.3	A136	138.2	137.3	.9	B88	91.0	89.8	1.0	C112	116.2	114.9	2.1
A38	40.2	39.3	.3	A144	146.2	145.3	1.0	B89	92.0	90.8	1.0	C115	119.2	117.9	2.1
A39	41.2	40.3	.3	A158	160.2	159.3	1.1	B90	93.0	91.8	1.0	C120	124.2	122.9	2.3
A40	42.2	41.3	.3	A173	175.2	174.3	1.2	B91	94.0	92.8	1.0	C124	128.2	126.9	2.4
A41	43.2	42.3	.3	A180	182.2	181.3	1.2	B92	95.0	93.8	1.0	C128	132.2	130.9	2.4
A42	44.2	43.3	.3	*B22	25.0	23.8	.3	B93	96.0	94.8	1.0	C136	140.2	138.9	2.6
A43	45.2	44.3	.3	*B23	26.0	24.8	.3	B94	97.0	95.8	1.0	C144	148.2	146.9	2.8
A44	46.2	45.3	.3	*B24	27.0	25.8	.3	B95	98.0	96.8	1.0	C148	152.2	150.9	2.8
A45	47.2	46.3	.3	B25	28.0	26.8	.3	B96	99.0	97.8	1.1	C150	154.2	152.9	2.9
A46	48.2	47.3	.3	B26	29.0	27.8	.3	B97	100.0	98.8	1.1	C158	162.2	160.9	3.0
A47	49.2	48.3	.3	B28	31.0	29.8	.3	B98	101.0	99.8	1.1	C162	166.2	164.9	3.1
A48	50.2	49.3	.3	B29	32.0	30.8	.3	B99	102.0	100.8	1.1	C173	177.2	175.9	3.3
A49	51.2	50.3	.4	B30	33.0	31.8	.3	B100	103.0	101.8	1.1	C180	184.2	182.9	3.4
A50	52.2	51.3	.4	B31	34.0	32.8	.3	B101	104.0	102.8	1.1	C195	199.2	197.9	3.7
A51	53.2	52.3	.4	B32	35.0	33.8	.3	B103	106.0	104.8	1.1	C210	214.2	212.9	4.0
A52	54.2	53.3	.4	B33	36.0	34.8	.4	B105	108.0	106.8	1.1	C225	227.2	225.9	4.3
A53	55.2	54.3	.4	B34	37.0	35.8	.4	B106	109.0	107.8	1.1	C240	242.2	240.9	4.6
A54	56.2	55.3	.4	B35	38.0	36.8	.4	B108	111.0	109.8	1.2	C255	257.2	255.9	4.9
A55	57.2	56.3	.4	B36	39.0	37.8	.4	B111	114.0	112.8	1.2	C270	272.2	270.9	5.2
A56	58.2	57.3	.4	B37	40.0	38.8	.4	B112	115.0	113.8	1.2	C285	287.2	285.9	5.4
A57	59.2	58.3	.4	B38	41.0	39.8	.4	B116	119.0	117.8	1.3	C300	302.2	300.9	5.7
A58	60.2	59.3	.4	B39	42.0	40.8	.4	B117	121.0	119.8	1.3	C315	317.2	315.9	6.0
A59	61.2	60.3	.4	B40	43.0	41.8	.5	B120	123.0	121.8	1.3	C330	332.2	330.9	6.3
A60	62.2	61.3	.4	B41	44.0	42.8	.5	B123	126.0	124.8	1.3	C345	347.2	345.9	6.6
A61	63.2	62.3	.4	B42	45.0	43.8	.5	B124	127.0	125.8	1.3	C360	362.2	360.9	6.9
A62	64.2	63.3	.4	B43	46.0	44.8	.5	B126	129.0	127.8	1.4	C380	392.2	390.9	7.5
A63	65.2	64.3	.4	B44	47.0	45.8	.5	B128	131.0	129.8	1.4	C420	422.2	420.9	8.0
A64	66.2	65.3	.4	B45	48.0	46.8	.5	B133	136.0	134.8	1.5	D120	125.2	123.3	4.0
A65	67.2	66.3	.5	B46	49.0	47.8	.5	B136	139.0	137.8	1.5	D128	133.2	131.3	4.4
A66	68.2	67.3	.5	B47	50.0	48.8	.5	B140	143.0	141.8	1.6	D144	149.2	147.3	5.0
A67	69.2	68.3	.5	B48	51.0	49.8	.5	B144	147.0	145.8	1.6	D158	163.2	161.3	5.3
A68	70.2	69.3	.5	B49	52.0	50.8	.6	B148	151.0	149.8	1.6	D162	167.2	165.3	5.5
A69	71.2	70.3	.5	B50	53.0	51.8	.6	B150	153.0	151.8	1.6	D173	178.2	176.3	5.8
A70	72.2	71.3	.5	B51	54.0	52.8	.6	B154	157.0	155.8	1.7	D180	185.2	183.3	6.0
A71	73.2	72.3	.5	B52	55.0	53.8	.6	B158	161.0	159.8	1.7	D195	200.2	198.3	6.3
A72	74.2	73.3	.5	B53	56.0	54.8	.6	B162	165.0	163.8	1.7	D210	215.2	213.3	6.8
A73	75.2	74.3	.5	B54	57.0	55.8	.6	B173	176.0	174.8	1.9	D225	227.7	225.8	7.1
A74	76.2	75.3	.5	B55	58.0	56.8	.6	B180	183.0	181.8	1.9	D240	242.7	240.8	7.7
A75	77.2	76.3	.5	B56	59.0	57.8	.6	B190	193.0	191.8	2.0	D255	257.7	255.8	8.1
A76	78.2	77.3	.5	B57	60.0	58.8	.7	B191	194.0	192.2	2.0	D270	272.2	270.8	8.9
A77	79.2	78.3	.5	B58	61.0	59.8	.7	B195	198.0	196.8	2.0	D285	287.7	285.8	9.8
A78	80.2	79.3	.5	B59	62.0	60.8	.7	B205	208.0	206.9	2.2	D300	302.7	300.8	10.5
A79	81.2	80.3	.5	B60	63.0	61.8	.7	B210	213.0	211.8	2.3	D315	317.7	315.8	10.8
A80	82.2	81.3	.5	B61	64.0	62.8	.7	B225	226.5	225.3	2.5	D330	332.7	330.8	10.6
A81	83.3	82.3	.5	B62	65.0	63.8	.7	B240	241.5	240.3	2.6	D345	347.7	345.8	11.7
A82	84.2	83.3	.6	B63	66.0	64.8	.7	B255	256.5	255.3	2.8	D460	362.7	360.8	11.5
A83	85.2	84.3	.6	B64	67.0	65.8	.7	B270	271.5	270.3	2.9	D390	392.7	390.8	12.4
A84	86.2	85.3	.6	B65	68.0	66.8	.7	B285	286.5	285.3	3.1	D420	422.7	420.8	13.4
A85	87.2	86.3	.6	B66	69.0	67.8	.7	B300	301.5	300.3	3.2	D450	452.7	450.8	16.3
A86	88.2	87.3	.6	B67	70.0	68.8	.7	B315	316.5	315.3	3.4	D480	482.7	480.8	15.8
A87	89.2	88.3	.6	B68	71.0	69.8	.7	B330	361.5	360.3	4.0	D540	542.7	540.8	19.9
A88	90.2	89.3	.6	B69	72.0	70.8	.8	C51	55.2	53.9	1.0	D600	602.7	600.8	21.6
A89	91.2	90.3	.6	B70	73.0	71.8	.8	C55	59.2	57.9	1.1	D660	662.7	660.8	28.8

* Not a stock size, contact Application Engineering 800-626-2093